

Privilège SIGNATURE 510



Valid 2022.02.01

Specification

Superior design refined for a greater sense of comfort



Specification

Total sail area	141m ²	1,517sqft
Mainsail	88m ²	947sqft
Genoa	57m ²	613sqft
Staysail <i>option</i>	20m ²	215sqft
Gennaker <i>option</i>	120m ²	1,292sqft
Mast length	21.21m	69'5"
LOA	17.09m	56'
Hull length	15.24m	50'
LWL	15.13m	49'8"
Beam	7.98m	26'0"
Draft	1.57m	5'10"
Displacement light ship	16.8t	37,000lbs
Displacement full load	22.8t	50,700lbs
Fuel tank	800l	211gal
Fresh water	600l	158gal
Engines	2 × 41 kW	2 × 55HP
Cabins	3 or 4	
CE Certificate	A -12	
Design	Cabinet Marc Lombard	
Interior	Darnet Design	

All measurements are approximate. Specifications and material can change without notice. Errors excepted. Valid 2022.02.01



Specification

General

- › Privilege Signature 510 with master suite layout and 2 guest cabins
- › Declaration of Conformity according to European Directive 2013/53/UE
- › 5 years structural guarantee on hull, deck and bulkheads
- › Owner's manual
- › Administration fees

Hull

General

- › Hulls and bridge deck infused with closed cells PVC foam core
- › Isophthalic gelcoat – colour: Signal White RAL 9003
- › 1st layer in vinylester resin to prevent osmosis
- › Polyester resin for infusion

Structure

- › Monolithic areas and plywood/ aluminium reinforcements under infusion

Bulkheads

- › Structural bulkheads infused with closed cells PVC foam core
- › Bulkheads directly laminated to hull and bridge deck

Additional parts

- › Crash boxes at false bow and transom

Keels

- › Structural keels, integrated into the hulls

Deck

General

- › Deck infused with closed cells PVC foam core
- › Isophthalic gelcoat – colour: Signal White RAL 9003
- › 1st layer in vinylester resin
- › Polyester resin for infusion
- › Aft cockpit with L-shape bench on starboard side and straight benches on port side and on aft beam

Structure

- › Monolithic areas and plywood/ aluminium reinforcements under infusion
- › Deck laminated to hulls and bulkheads laminated to deck

Deckhouse

- › Large coachroof with 5 ventilation hatches and with an extension above cockpit
- › Raised helm station on port side with double seat and 2 lockers for halyards

Additional parts

- › 1 locker in each forepeak, accessible through deck hatch with ventilation and ladder, lockable
- › 2 lockers on central pod accessible through deck hatches with ventilation and ladder, lockable
- › 1 locker for anchor storage
- › 6 lockers in cockpit of which one has a second access to the life raft
- › 1 locker in cockpit for 1 propane gas bottle 13kg
- › 2 lockers in the aft beam

Rigging

Standing rig

White lacquered aluminium mast (21.21m high) with:

- › 2 sets of spreaders with leather protection
- › Mainsail track with sliders on fiber guides
- › 1 Manual winch LEWMAR 50ST EVO at the foot on starboard side for genoa, staysail, gennaker/code0/spinnaker halyards and lazy jacks
- › 4 foldable steps to gooseneck, 1 footrest at gooseneck, 2 foldable steps at masthead
- › LED tricolour navigation light at masthead, steaming light, anchor light, fixed deck light in front of the mast
- › 2 LED lights under first set of spreaders
- › Mechanical wind vane at masthead

White lacquered aluminium canoe boom (7.09m long) with:

- › Lazy bag
- › Sheaves for reefing lines
- › Mainsail outhaul on fixed points

Specification

White lacquered aluminium welded crossbeam with seagull striker

Stainless steel 1x19 wire including forestay, inner forestay, cap shrouds, lower shrouds and 4 diamonds

Sails and running rig

High performance running rigging, Dyneema core with:

- › 1 halyard for mainsail and for genoa
- › 1 sheet for mainsail and 2 sheets for genoa
- › 1 genoa furling line
- › Reefing lines, lazy jacks, climber halyard and topping lift

High quality sails with:

- › Roach mainsail 86m², 3 reefs, full batten, Dacron
- › Genoa on manual furler, 57m², with UV leech guard, Dacron

Deck hardware

- › 1 electric LEWMAR 55EST EVO Alloy Black winch at helm station on port side for mainsail halyard, reefing lines, genoa, staysail and gennaker/code0/spinnaker furling lines, climber halyard and topping lift
- › 1 electric LEWMAR 65EST EVO Alloy Black winch at helm station on starboard side for genoa and staysail sheets
- › 1 electric LEWMAR 55EST EVO Alloy Black winch backward helm station for mainsail sheet and traveller control line
- › Mainsheet traveller with double ball bearing car and control line
- › Manual furler for genoa
- › 2 tracks for genoa/ staysail including cars with pin stop
- › 3 winch handles with holders

Exterior equipment

Glazing

- › Stainless steel patio door to saloon with 3 leaves, 2 sliding
- › Large mineral glass windows on hull and deckhouse
- › Flush hatches on deck and deckhouse

Mooring – Anchoring

- › 8 stainless steel mooring cleats, 500mm 4x, 360mm 4x
- › 8 stainless steel anti-chafing protections

- › 2 stainless steel mooring cleats, 360mm, on transoms
- › 2 roller cleats 420mm on the bow for buoy anchoring
- › 4 mooring lines
- › 8 fenders, 910mm x 360mm, including air compressor
- › 1 electric anchor windlass 2000W with drum, gypsy Ø 10mm, deck switches and 1 wired remote control with chain counter
- › Bow anchor roller with 1 stainless steel mooring cleat 500mm
- › Mooring bridle
- › Stainless steel plate to prevent anchor chain chafing
- › Main mooring line with galvanized Delta-Anchor 40kg, flip swivel, 75m galvanized chain grade 70 Ø 10mm, 25m rope

Deck fitting

Deck

- › 2 stainless steel pulpits with teak seats and LED navigation lights
- › 4 stainless steel pushpits, 2 outside, 2 inside transoms
- › Lateral railing, 750mm height, with side openings, including stanchions and 3 guard lines in stainless steel
- › 2 white nets in coated polyester mesh
- › 2 stainless steel handrails on deckhouse
- › 3 lifelines in stainless steel, 2 on the deck and 1 on the deckhouse

Aft cockpit

- › Fixed teak cockpit table 1400mm x 1000mm with stainless steel central foot
- › Stairs from cockpit to helm station
- › Stairs from cockpit to side deck

Helm station

- › Double seat – Spradling Silvertex, full range of colours
- › Windscreen in mineral glass with stainless steel frame

Transoms

- › Fixed stainless steel swimming ladder with deck shower on port transom

Upholstery

- › Upholstery for cockpit – Spradling Silvertex, full range of colours
- › 2 foldable director chairs in teak with cotton ecru seats

Specification

Interior

General

- › Furniture – Alpi French Oak style, satin varnish
- › Floorboard – laminated wood Resopal Valley Oak 4166-WH
- › All worktops in synthetic resin – Hi-macs Solids collection full range of colours
- › Upholstery – Coated fabrics leather style Spradling Valencia, full range of colours
- › Lining ceiling and wall: Spradling Hitch Iceberg 8962 except:
 - Saloon centered ceiling: Spradling Silvertext Ice 4004
 - Deckhouse surround windows: Graphite Grey Lacquer dito Egger U961 STPT
- › Lining bed frames, headboards and bedsides: Spradling Vogue Stone 001 or Eucalyptus 004
- › White solid surfaces: Egger Alpine White W1101 STPT
- › Dark solid surfaces: Egger Graphite Grey U961 STPT
- › Curtains type OCEANAIR around the entire boat
- › Spring frames and mattresses for all the beds

Front cabins – According to layout

Master suite

- › 1 U-shape dressing area
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 large and tall cabinet with 3 doors including 1/3 shelves and 2/3 wardrobe
- › 1 lengthwise double bed 180cm x 200cm, 2 bedsides, 2 low cabinets with drawers
- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 tall cabinet with wardrobe at the top and with 2 drawers and 1 door at the bottom
- › 1 separate electric toilet
- › 1 head cabinet with 2 doors and 2 countertop wash basins with mixing taps, folding mirrors and accessories
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers

Master suite and port side guest cabin

- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 separate head with electric toilet, cabinet with 1 door, countertop wash basin, mixing tap, mirror and accessories
- › 1 lengthwise single bed 105cm x 200cm
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers
- › 1 lengthwise double bed 180cm x 200cm, 2 bedsides, 1 low cabinet with drawers
- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 tall cabinet with wardrobe at the top and with 2 drawers and 1 door at the bottom
- › 1 separate electric toilet
- › 1 head cabinet with 2 doors and 2 countertop wash basins with mixing taps, folding mirrors and accessories
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers

2 double cabins

- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 separate head with electric toilet, cabinet with 1 door, countertop wash basin, mixing tap, mirror and accessories
- › 1 transverse double bed 160 x 200cm, 1 bedside with shelves, 1 low cabinet with 2 doors on footboard
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers
- › 1 separate shower with thermostatic tap and silk-screened door
- › 1 sideboard including 2 doors (with shelves) and 1 chest of drawers (with 2 drawers at the top and 2 doors at the bottom with 1 shelf)
- › 1 separate head with electric toilet, cabinet with 1 door, countertop wash basin, mixing tap, mirror and accessories

Specification

- › 1 transverse double bed 160 x 200cm, 1 bedside with shelves, 1 low cabinet with 2 doors on footboard
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers

Port corridor – according to layout

Master suite

- › 1 sideboard with 4 doors
- › 1 tower in front of the stairs with 1 stainless steel freezer 113l at the bottom and 1 cabinet at the top
- › 1 large and tall cabinet with integrated mirror, numerous storage spaces and drawers
- › 5 stairs with courtesy lights and escape hatch

Port guest cabin or 4 double cabins layouts

- › 1 tower in front of the stairs with 1 stainless steel freezer 113l at the bottom and 1 cabinet at the top
- › 1 tall cabinet with 1 drawer and 1 door
- › 5 stairs with courtesy lights and escape hatch

Starboard corridor

- › 1 tall cabinet with 2 openings for washer/ dryer in option
- › 1 tall cabinet with 2 shelves at the top and 1 door at the bottom
- › 5 stairs with courtesy lights and escape hatch

Aft port side – guest cabin

- › 1 lengthwise double bed 160cm x 200cm with 2 drawers underneath
- › 1 full-width cabinet on inner side
- › 1 small cabinet with opening on outer side
- › 1 separate head with electric toilet, cabinet with 1 door, countertop wash basin, mixing tap, mirror and accessories
- › 1 separate shower with thermostatic tap and silk-screened door

Aft starboard side – guest cabin

- › 1 lengthwise double bed 160cm x 200cm with 2 drawers underneath
- › 1 full-width cabinet on inner side
- › 1 small cabinet with opening on outer side
- › 1 separate head with electric toilet, cabinet with 1 door, countertop wash basin, mixing tap, mirror and accessories
- › 1 separate shower with thermostatic tap and silk-screened door

Galley & saloon

Dining area

- › 1 L-shape bench
- › 1 fixed rectangular dining table with 2 stainless steel feet
- › 1 cabinet behind the fixed leaf of the patio door with 4 drawers and 1 door
- › Curtain for patio door in fabrics

Galley area

- › 1 gas cooker with 3 burners
- › 1 gas oven
- › 1 stainless steel fridge 112l
- › 1 large sink with mixing tap
- › 1 storage (for built-in dishwasher in option)
- › Worktop in synthetic resin – Hi-macs Solids collection, full range of colours
- › Numerous storage spaces and drawers

Navigation area

- › Chart table with footstool
- › Wall panel for optional electronics, monitoring and entertainment

System

Air

Air conditioning

- › A/C system predisposed for future chiller, power and sea water connection, fan coils power and chilled water/ glycol circuit insulation hoses

Electrics & electronics

General

- › 12Vdc network
- › 230Vac, 50Hz network
- › Supervision system management with controller for data capture and 1 touch screen 10" to check: AC/DC networks, gauges and pumps, lighting, service switches, alarms

Wiring & control boxes

- › Set of control boxes arranged throughout the boat including breakers and control relays
- › Shore power outlet 230Vac, 50Hz, 32A with shore cable (including isolation transformer)

Specification

Batteries & chargers

- › 4 service gel batteries 200Ah, 12Vdc
- › 3 gel batteries 55Ah, 12Vdc for engines and generator
- › 1 chargeMaster 100A, 12Vdc
- › 1 inverter AC Master 3500W, 230Vac

Generator

- › Generator power to be defined according to energy needs and/ or navigation program

Lighting

- › LED daylight downlights arranged throughout the boat including cockpit, white and red in saloon and cockpit, with dimmers
- › LED daylight reading lights arranged throughout the cabins
- › 1 flexible reading light at chart table
- › 2 LED lights on each transom

Electric devices

- › 230Vac, 50Hz circuit with 2 outlets in each cabin, 4 in the master suite, 4 in the galley, 2 in the saloon, 2 at chart table, 1 in each head and 1 in each engine room
- › Twin USB charging A+C: 1 in each cabin, 2 in the master suite, 1 in the saloon and 1 at chart table
- › 1 waterproof twin USB charging A+A at helm station

Navigation instruments

- › 2 Raymarine i70s at helm station with DST transducers for Depth/Speed/Temperature/Wind
- › GPS Receiver RS150
- › VHF antenna, 1 wired handset Ray 90 at chart table with passive speaker and 1 wireless handset Ray 90 at helm station with active speaker
- › Magnetic compass, northern hemisphere
- › Mechanical wind vane

Entertainment

- › Hertzian masthead antenna
- › AM/FM antenna
- › Prewiring TV and Hifi in saloon and cabins

Propulsion

General

- › 2 sound-proof and heat insulated engine compartments, with access from cockpit by hatches, ventilation fans, LED lights
- › 2 Yanmar engines, 57 hp, saildrive SD60, with electric throttles including maintenance kit
- › 2 3-blade folding propellers

Steering

- › Hydraulic steering system
- › Stainless steel steering wheel Ø 900mm with leather cover
- › 2 stainless steel emergency tillers

Water & gas system

- › 2 stainless steel fresh water tanks, 2 x 300l
- › 2 x 40l hot water boiler 230Vac
- › Pressurised water system including 1 pump and 1 stainless steel expansion tank
- › 2 manual bilge pumps with 3-way-valve
- › 4 electric bilge pumps with visual and audible alarms
- › Electric shower pumps
- › 2 polypropylene blackwater tanks, 2 x 106l
- › Mixing taps for heads and showers
- › Electric toilets with fresh water flush
- › Warm/ cold water deck shower on port transom

Fuel

- › 2 aluminium fuel tanks 2x 400l each
- › Transfer pump reversible for fuel

Deck & cabin concept

Main deck



Lower deck



master suite &
2 guest cabins



master suite &
3 guest cabins
option



4 double cabins
option